Tulane researchers part of team studying volcanic eruption in the Galápagos Islands

March 8th, 2021

Barri Bronston bbronst@tulane.edu

View PDF



Incandescent lava flows from the 2018 Sierra Negra eruption entering the Pacific Ocean. A white crust forms from rock-water interaction. (Photo by Sarah Jaye Oliva)



Field team in the Sierra Negra study are, from left, Javier Jaramillo of Parque Nacional de Galapagos, Mario Ruiz of Instituto Geofisico Escuela Politecnica Nacional, Gabrielle Tepp of the U.S. Geological Survey and Sarah Jaye Oliva of Tulane.

Scientists from Tulane University are part of an international team of researchers whose study of the 2018 eruption of the Sierra Negra volcano in the Galápagos Islands provides vital information about future volcanic activity on the islands.

Their most recent research was published this month in the scientific journal <u>Nature</u> <u>Communications</u>, revealing the first detailed description of the 2018 eruption of the Sierra Negra volcano, one of the world's most active volcanoes.

It offers scientists a new perspective on how volcanoes behave, while providing crucial information that will help them predict the dangers of future eruptions.

"The research findings affect real lives and need to be communicated to the public in a timely manner."

Geoscientist Sarah Jaye Oliva, recent doctoral student at Tulane University

The Sierra Negra volcano forms part of Isabela Island, the largest in the Galápagos archipelago. The island has a population of almost 2,000 and hosts countless tourists

every year.

"The Sierra Negra eruption in 2018 was a truly spectacular volcanic event, occurring in the 'living laboratory' of the Galápagos Islands," said Andrew Bell, a volcanologist at the University of Edinburgh, which led the study.

"A lot of teamwork and a bit of luck allowed us to capture this unique data set that provides us with a new and important understanding of how these volcanoes behave and how we could better forecast future eruptions."

The team combined data recorded by ground-based instruments, by satellites, and by analysis of the chemical composition of the erupted lava. The data show how the rising magma managed to continuously lift a kind of hinge on the caldera floor, raising the surface and generating tremors.

Tulane researchers played a critical role along with scientists fromt he Instituto Geofísico de la Escuela Politécnica Nacional (IGEPN) in Ecuador, Pennsylvania State University and the Dublin Institute for Advanced Studies.

Tulane's role involved installing seismometers - sensitive instruments to record earth tremors - around the volcano three months before the eruption. The work was led by <u>Sarah Jaye Oliva</u>, then a doctoral candidate at Tulane, who teamed up with Gabrielle Tepp of the U.S. Geological Survey to capture a time-variation in the state-of-stress.

The Tulane team previously had monitored Sierra Negra to obtain an image of its internal structure and to establish a baseline measurement of earthquake activity and shape changes, said Cynthia Ebinger, the Marshall-Heape Chair Professor in the Tulane Department of Earth and Environmental Sciences.

"When colleagues in Ecuador noticed escalating earthquake activity in late 2017, we began to organize equipment and a team to re-install instruments in anticipation of an eruption," Ebinger said. "This information would enable us to measure changes relative to the baseline prior to an eruption, and to monitor the eruption and its aftermath."

"As part of her PhD thesis research, Oliva's analyses of earthquake rupture processes captured time-variations in pressure within the volcano before and after the eruption associated with evacuation and recharge of a magma chamber,"

Ebinger said.

Oliva is now a Postdoctoral Research Fellow at the University of British Columbia in Canada.

"I got to experience being on the ground and working closely with park officials, rangers and the locals, which I think was very important since they are the direct stakeholders of the research," Oliva said.

"I especially appreciated how IGEPN and the Galapagos National Park coordinated a public event where we could present our preliminary findings to the locals and field their questions, long before the research made it into a scientific journal. The research findings affect real lives and need to be communicated to the public in a timely manner."

The new knowledge will allow the volcanologists of the IGEPN to follow the evolution of future volcanic reactivation processes in the Galápagos Islands and enable effective communication of the scientific results to local authorities and the public.

"This research is an example of international collaboration and partnership," said Mario Ruiz Romero, seismologist at the IGEPN, Ecuador's national monitoring agency. "The results allow us to better understand how magma rises and the process that follows to reach the surface from the interior of the Earth, generating a volcanic eruption."